

Tobacco Use

A note about this indicator:


The objectives selected to measure progress among adolescents and adults for this Leading Health Indicator are presented below. These are only indicators and do not represent all the tobacco use objectives included in Healthy People 2010.

27-3b. Reduce cigarette smoking by adolescents

27-1a. Reduce cigarette smoking by adults

Data Sources: Behavioral Risk Factor Surveillance System (BRFSS) and the Youth Risk Behavior Survey (YRBS).


**Current Cigarette Smoking
Adolescents
MA (1993, 2001), U.S. (2001), HP 2010**



Objective: 27-2b Reduce cigarette smoking by adolescents

Sources: Centers for Disease Control and Prevention. National Center for Health Statistics. National Health and Nutrition Examination Survey. 2001. Massachusetts Department of Education. Youth Risk Behavior Survey (YRBS). 1993, 2001.


**Current Cigarette Smoking
Adolescents
MA (1993-2001)**



Objective: 27-2b Reduce cigarette smoking by adolescents

Source: Massachusetts Department of Education. Youth Risk Behavior Survey (YRBS). 1993-2001.


**Current Cigarette Smoking
Adolescents by Gender
MA (2001)**



Objective: 27-2b Reduce cigarette smoking by adolescents

Source: Massachusetts Department of Education. Youth Risk Behavior Survey (YRBS). 2001.


**Current Cigarette Smoking
Adolescents by Grade
MA (2001)**



Objective: 27-2b Reduce cigarette smoking by adolescents

Source: Massachusetts Department of Education. Youth Risk Behavior Survey (YRBS). 2001.


**Current Cigarette Smoking
Adolescents by Race/Hispanic Ethnicity
MA (2001)**



Objective: 27-2b Reduce cigarette smoking by adolescents

Source: Massachusetts Department of Education. Youth Risk Behavior Survey (YRBS). 2001.

**Current Cigarette Smoking,
Adults aged 18+ yrs
MA (1990, 2000), U.S. (2000), HP 2010**




Objective: 27-1a Reduce cigarette smoking by adults

Sources: Centers for Disease Control and Prevention. National Center for Health Statistics. National Health and Nutrition Examination Survey. 2000. Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. BRFSS. 1990, 2000.

*Percentages are age-adjusted to the 2000 US Population.

Percentage* of Adults who Currently Smoke
Adults aged 18+ yrs
MA (1990-2000)




Objective: 27-1a Reduce cigarette smoking by adults

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. BRFSS. 1990-2000.

*Percentages are age-adjusted to the 2000 US Population.

**Percentage* of Adults who Currently Smoke
Persons Ages 18+ years by Gender
MA (2000)**




Objective: 27-1a Reduce cigarette smoking by adults

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. BRFSS. 2000.

*Percentages are age-adjusted to the 2000 US Population.


**Percentage* of Adults who Currently Smoke
Persons Ages 18+ years by Age Group
MA (2000)**



Objective: 27-1a Reduce cigarette smoking by adults

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. BRFSS. 2000.

**Percentage* of Adults who Currently Smoke
Persons Ages 18+ years by Race/Hispanic Ethnicity
MA (2000)**



Objective: 27-1a Reduce cigarette smoking by adults

Source: Massachusetts Department of Public Health. Bureau of Health Statistics, Research and Evaluation. BRFSS. 2000.

*Percentages are age-adjusted to the 2000 US Population.

